Rugged Public Display Monitor

32" High Definition Industrial grade Color LCD Monitor


Discourage unwanted, antisocial and criminal behavior by letting passengers know of the presence of a camera system.

Multiple video inputs allow for both camera and media player support. Improve passenger safety and overall experience through live camera views and generate additional revenue streams through paid media advertising.

- 1920 x 1080 resolution
- HDMI, VGA, Composite NTSC / PAL inputs provide support for cameras, media players and DVRs/NVRs
- LED backlights
- Steel enclosure



System	
Resolution	1920 x 1080
Viewable Area	27.47" (W) x 15.44" (H) (697.6845 × 392.256mm)
Pixel Pitch	0.51075mm (H)×0.51075mm (V)
Display colors	16.7M
Aspect Ratio	16:9
Brightness	300 nits
Contrast Ratio	3000:1
Viewing angle	178° (H) x 178°(V)
Response Time	20 ms
Control	OSD via Rear Panel push buttons or IR remote control
Auto Restart after Power loss	Yes
Video Connectors	HDMI, VGA, Composite NTSC / PAL (2 inputs, 1 is Loop-Through)
Power Requirement	22 - 26 VDC (10 - 36 VDC using external voltage converter)
Power Consumption	≤ 80W
Enclosure	Steel
Mounting	VESA 200 x 200, 150 x 380, 200 x 380, 260 x 380
Operating Temp	32°F to +122°F (0°C to +50°C)
Storage Temp	-4°F to +140°F (-20°C to +60°C)
Dimensions	18.5" (W) x 30.5" (H) x 4.7" (D) (470 x 773.6 x 119.2mm)
Weight	27.2 lbs (12.34 Kgs)



Dimensional Diagram

Ordering Information	
MVQ-KC320-KIT	LCD Monitor, 32", includes 6' HDMI cable, external voltage converter and wall-mounting bracket
MVQ-V200-AUX-PLT	Supplemental Wall Plate

1087-32-LCD-MONITOR-SS-TR-011822

Copyright ©2019 Safe Fleet and its subsidiaries. All rights reserved. No part of this publication may be reproduced by any means without written permission from Safe Fleet. The information in this publication is believed to be accurate. However, Safe Fleet does not make any representation or warranty to that effect and does not assume responsibility for any consequences resulting from use of such information. Revisions or new editions of the publication may be issued (or not issued) in our discretion to incorporate such changes.



