

Safe Fleet Transit & Coach Roof Hatches


Ventilator and Emergency Escape Hatches



Enhance your passenger comfort and safety with a hatch from the leader in bus safety equipment.



Safe Fleet roof hatches demonstrate over 40 years of proven performance and come in a wide variety of styles and configurations. Hatches are also customizable to meet your specific application needs. Each hatch features a low-profile design and meets all FMVSS and CMVSS regulations.



Adaptable

Low profile design adapts to wide range of roof surfaces



High Strength

Constructed of high strength UV stable materials



Made in the USA

Proudly manufactured in North Carolina with over 40 years of proven performance



Warranty

5 Year Manufacturer Warranty



The Safe Fleet – Transpec family of ventilators and escape hatches – designed to meet the wide-ranging needs of today’s transit fleet.



Dual Purpose Safety Vent

The Dual Purpose Safety Vent is a combination roof ventilator/emergency exit that provides 5-position, fresh air ventilation and a simple release handle for emergency exit.

- Multi position fresh air vent
- Emergency exit
- Most popular model



Glass Safety Vent

The Safe Fleet Glass Roof Hatch is made of 4mm tempered glass with gray tint featuring an 18% light transmission and is also available in a motorized version.

- Multi position fresh air vent
- Emergency exit
- Glass panel to allow natural light into the vehicle cabin





Power Safety Vent

The Power Safety Vent II provides all the features of the Dual-Purpose Safety Vent II with the addition of an electric fan for extracting condensation, stale or hot air from inside the vehicle to improve passenger comfort.

- Multi position fresh air vent
- Emergency exit
- High-capacity powered exhaust fan provides ventilation in the closed position



Motorized Safety Vent

The Motorized Safety Vent (MSV) is an electrically operated combination roof ventilator/emergency exit that provides fresh air ventilation as well as a simple release handle that allows the hatch to hinge open for emergency exit. The ventilation portion of the hatch is controlled by a simple switch contained within the driver's compartment of the vehicle on which it is installed.

- Multi position fresh air vent
- Emergency exit
- Allows the ventilation feature to be controlled from driver's seat



	COLORS	STATIC VENT	OUTSIDE RELEASE	RETENTION CABLE (1 or 2)	HATCH AJAR ALARM	ADHESIVE SEALANT	MULTILINGUAL DECALS
MODEL	STANDARD FEATURE & OPTIONS						
T1070 Series Dual Purpose Safety Vent II	White. Light Gray, Dark Gray, Black, Beige		●	●	●	●	●
T1670 Series Power Safety Vent II	White. Light Gray, Dark Gray, Beige	●	●	●	●	●	●
T2070 Series Motorized Safety Vent II	White. Light Gray, Dark Gray		●	●	●	●	●
T2870 Series Glass Roof Hatch	White. Light Gray, Dark Gray, Black			●	●	●	●

● Standard ● Optional



SAFE FLEET
Driving Safety Forward™

1245-SF-Hatch-BR-TR-091721

Copyright ©2021 Safe Fleet and its subsidiaries. All rights reserved. No part of this publication may be reproduced by any means without written permission from Safe Fleet. The information in this publication is believed to be accurate. However, Safe Fleet does not make any representation or warranty to that effect and does not assume responsibility for any consequences resulting from use of such information. Revisions or new editions of the publication may be issued (or not issued) in our discretion to incorporate such changes.